L Number	Hits	Search Text	DB	Time stamp
1	3	"4742467" and offset	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 20:58
2	106	"4737921"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 22:27
3	2	"6369812"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 22:28
4	0	"6369812" and morph$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 22:28
5	0	"4742467" and morph$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 22:28
6	2	"5825941" and morph$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/22 22:28
-	404	345/339 and logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:03
-	10139	345/$.ccls. and logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:03
-	0	345/$.ccls. and logic same recompiling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:03
-	42	logic same recompiling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:08
-	12	logic near5 recompiling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:09
-	0	logic near5 recompiling and 345/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:04
-	0	logic near5 recompiling and 345/339.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:04
-	1	logic near5 recompiling same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:07

C:\APPS\east\workspaces\9524053.wsp

-	0	logic near5 (search$3 and recompiling) same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:07
-	0	logic near10 (search$3 and recompiling) same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:07
-	1	logic same (search$3 and recompiling) same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:08
-	0	logic same recompiling and 345/$.ccls.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:08
-	14	logic near10 recompiling	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:09
-	220	logic near10 (compiling or recompiling)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:09
-	20	logic near10 (compiling or recompiling)and logic same graphics	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:10
-	5	logic near10 (compiling or recompiling)and logic same graphics same program	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:10
-	5	logic near10 (compiling or recompiling)and logic same graphics same (program and logic)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:10
-	1	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:12
-	1	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:13
-	1	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu and template and objects	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:13
-	0	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu and template and objects and logic same (replac$3 or recompil$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:14
-	0	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu and template and objects and logic same (replac$3 or recompil$3 or substitut$4)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:14

C:\APPS\east\workspaces\9524053.wsp

-	0	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu and template and objects and logic same (replac$3 or recompil$3 or substitut$4 or remov$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:14
-	1	logic near10 (compiling or recompiling)and logic same graphics same (program and logic) and size and menu and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:15
-	54	"4742467"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:15
-	27	"4742467" and logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:15
-	7	"4742467" and logic and graphics and objects and (size or attributes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:16
-	6	"4742467" and logic and graphics and objects and (size or attributes)and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:16
-	6	"4742467" and logic and graphics and objects and (size or attributes)and user and logic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:18
-	12	"4742467" and (program$4 or code or encoded or encoding or logic) and graphics and objects and (size or attributes)and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:31
-	0	"4742467" and (program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:31
-	101	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:32
-	58	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:32
-	43	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:32
-	19	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:33
-	19	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:34

-	13	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:35
-	5	(program$4 or code or encoded or encoding or logic)same recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:35
-	5	(program$4 or code or encoded or encoding or logic)near10 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:37
-	0	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and logic near5 driven	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:38
-	0	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and logic near5 operated	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:38
-	5	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:39
-	4	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:39
-	4	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:40
-	0	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same (object and graphical)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:40
-	4	(program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:42

-	32	"5566295"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:42
-	12	"5831611"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:42
-	5	"5973686"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:43
-	53	((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:46
-	22	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:43
-	20	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:43
-	41	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:43

C:\APPS\east\workspaces\9524053.wsp

–		23	((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:44
–		8	((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:44

-		8	((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:44
-		1	((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template and user same permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:45
-		53	((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:47

-		23	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size)))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:51

| - | | 8 | (((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and.template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/08/20 00:51 |

| | | 4 | (((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3") and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and 345/$.ccls. | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/08/20 00:51 |

-		5	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and pop adj up	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:50

| - | | 0 | (((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and pop adj up and permission | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/08/20 00:49 |

-		2	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:50

-		5	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and pop adj up and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:50

| - | | 0 | (((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and pop adj up and user and permission | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/08/20 00:50 |

C:\APPS\east\workspaces\9524053.wsp

-		1	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and 345/$.ccls.and permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:51

-		2	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))and template) and permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:51

| - | | 1 | (((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3") and (((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and user same permission | USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB | 2002/08/20 00:51 |

-	2	(((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686" or ((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object)) and ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and graphic$3) and ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and attribute$1) or ((((program$4 or code or encoded or encoding or logic)near5 recompiling and graphics and objects and (size or attributes)and user and attribute$1 and size and template and (user or interface or gui)and position$3 and iteration and pop adj up and template same object and replac$3) or "5566295" or "5831611" or "5973686") and size))) and permission	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/20 00:51
-	32	"5566295"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 11:39
-	12	"5831611"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 11:40
-	5	"5973686"	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 11:40
-	39	"4742467" and (size or attributes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 13:44
-	1	re37,722 and (size or attributes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 13:50
-	2	"6195651" and (size or attributes)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 13:50

-	5	"6195651" and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 17:33
-	0	"6195651" and user and manual	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 17:30
-	1	re37,722 and user	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 17:33
-	0	re37,722 and user and manual	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 17:33
-	1	re37,722 and user and gui	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 18:52
-	4	"6195651" and code	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 18:59
-	1	re37,722 and template	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 18:53
-	3	"6195651" and hierarch$7	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2002/08/21 18:59